

New Jersey Division of AIDS Prevention and Control  
Persons Living with HIV/AIDS as of June 30, 2002  
Hunterdon County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	21	24
AIDS-CD4 Only	31	37	0	0	31	36
HIV Only	#	#	#	#	34	40
-----	-----	---	-----	---	-----	---
Total	#	100	#	100	86	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
2. Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic	65	77	0	0	65	76
5-12	#	#	Black, Not Hispanic	#	#	#	#	16	19
13-19	#	#	Hispanic	#	#	#	#	#	5
20-29	#	#	Other/Unknown	#	#	#	#	#	1
30-39	22	26	-----	-----	---	-----	---	-----	---
40-49	44	51	Total	84	100	#	100	86	100
50+	16	19							
Unk.	0	0							
-----	-----	---							
Total	86	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males		Females		Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	41	66	0	0	41	49
Injection drug user (IDU)	10	16	12	57	22	27
MSM/IDU	#	#	#	#	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	9	15	5	24	14	17
-----	-----	---	-----	---	-----	---
Total	62	100	21	100	83	100

  

	Pediatric Transmission Modes					
	Males		Females		Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	100	#	100	#	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	100	#	100	#	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of June 2002.

\*\* # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control  
AIDS Cases Reported as of June 30, 2002  
Hunterdon County Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	42 ( 30)	34 ( 83)	0 ( 0)	0 ( .)	42 ( 29)	34 ( 83)
Other OI w/o PCP	# ( #)	# ( #)	# ( #)	# ( #)	# ( #)	# ( #)
KS Alone	# ( #)	# ( #)	# ( #)	# ( #)	# ( #)	# ( #)
No Disease Listed	47 ( 33)	16 ( 37)	0 ( 0)	0 ( .)	47 ( 32)	16 ( 37)
Total	142 (100)	92 ( 67)	# (100)	# ( 33)	145 (100)	93 ( 66)

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	124	87	0	0	124	86
5-12	#	#	Black, Not Hispanic	#	#	#	#	16	11
13-19	0	0	Hispanic	#	#	#	#	5	3
20-29	14	10	Other/Unknown	0	0	0	0	0	0
30-39	56	39							
40-49	43	30	Total	142	100	#	100	145	100
Over 49	29	20							
Unknown	0	0							
Total	145	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	83	72	0	0	83	58
Injection drug user (IDU)	18	16	14	54	32	23
MSM/IDU	#	#	#	#	#	#
Heterosexual contact	0	0	5	19	5	4
Risk not reported/other***	#	#	#	#	#	#
Total	116	100	26	100	142	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	100	#	100	#	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	100	#	100	#	100

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control  
AIDS Cases Reported as of June 30, 2002  
Hunterdon County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	7	7	100%
1985	6	6	100%
1986	6	6	100%
1987	6	6	100%
1988	5	#	#%
1989	#	#	#%
1990	8	7	88%
1991	9	8	89%
1992	9	8	89%
1993	24	16	67%
1994	10	5	50%
1995	12	7	58%
1996	13	5	38%
1997	7	0	0%
1998	#	#	#%
1999	5	#	#%
2000	5	#	#%
2001	5	0	0%
-----	-----	-----	-----
Total	145	93	64%

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2002

Hunterdon County Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	29	76	#	#	29	76
5-12	#	#	Black, Not Hispanic	#	#	#	#	#	#
13-19	#	#	Hispanic	#	#	#	#	#	#
20-29	8	21	Other/Unknown	#	#	#	#	#	#
30-39	19	49	-----	-----	---	-----	---	-----	---
40-49	6	15	Total	#	100	#	100	39	100
Over 49	5	13							
Unknown	0	0							
-----	-----	---							
Total	39	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	16	59	0	0	16	42
Injection drug user (IDU)	#	#	#	#	10	26
MSM/IDU	#	#	#	#	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	27	100	11	100	38	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	100	0	.	#	100
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	100	0	.	#	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- \*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control  
HIV/AIDS Cases Reported as of June 30, 2002  
Hunterdon County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	98	53
AIDS-CD4 Only	47	26	0	0	47	26
HIV Only	#	#	#	#	39	21
-----	-----	---	-----	---	-----	---
Total	#	100	#	100	184	100

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	153	85	0	0	153	83
5-12	#	#	Black, Not Hispanic	#	#	#	#	24	13
13-19	#	#	Hispanic	#	#	#	#	6	3
20-29	31	17	Other/Unknown	#	#	#	#	#	1
30-39	77	42	-----	-----	---	-----	---	-----	---
40-49	41	22	Total	180	100	#	100	184	100
Over 49	30	16							
Unknown	#	#							
-----	-----	---							
Total	184	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	99	69	0	0	99	55
Injection drug user (IDU)	22	15	20	54	42	23
MSM/IDU	#	#	#	#	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	18	13	10	27	28	16
-----	-----	---	-----	---	-----	---
Total	143	100	37	100	180	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	100	#	100	#	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	100	#	100	#	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control  
HIV/AIDS Cases Reported as of June 30, 2002  
Hunterdon County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis -----	Number of Cases -----	Number Known Dead -----	Case-Fatality Rate -----
Before 1985	9	9	100%
1985	8	7	88%
1986	10	8	80%
1987	12	12	100%
1988	7	5	71%
1989	5	#	#%
1990	18	12	67%
1991	11	9	82%
1992	15	9	60%
1993	18	9	50%
1994	13	#	#%
1995	11	5	45%
1996	16	#	#%
1997	8	0	0%
1998	5	#	#%
1999	8	#	#%
2000	#	#	#%
2001	6	#	#%
2002	#	#	#%
Unknown	#	#	#%
-----	-----	-----	-----
Total	184	98	53%

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

